

RX-R1
MEDICATION
DOSAGE/REFERENCE

Please refer to the individual Clinical Guidelines for more information of medication use in specific situations




Generic Drug [Trade Name]	Indication [Guideline]	Typical Adult Dosage**	Pediatric Dosage** <small>(WB = Adult weight-based dosing)</small>
		<i>**unless otherwise noted in guidelines</i>	
Acetaminophen [Tylenol]	Pain [RX-02] Fever [M-06]	650-1000 mg PO	15 mg/kg
Adenosine [Adenocard]	Narrow-Tach [C-07]	6-12 mg rapid IVP	0.2 mg/kg
Albuterol [Proventil, Ventolin, Proair, etc.]	Asthma/COPD [A-06]	<i>Aerosol Nebulization:</i> 2.5 mg in 3 mL NS <i>MDI:</i> 2 puffs Inhaled	[SAME]
Amiodarone [Cardarone]	Vfib/VTach [C-03] Wide-Tach [C-08]	Pulseless: 300 mg initial then 150 mg IV/IO Pulsed: 150 mg IV/IO	5 mg/kg
	{DRIP}	1 mg/min	Contact Medical Control
Aspirin	Chest Pain [C-06]	324 mg chewed	N/A
Atropine	Bradycardia [C-05]	1 mg IV/IO	0.02 mg/kg
	Drug/Overdose [E-03] Nerve Agent [E-08]	<i>Organophosphate/Nerve Agent:</i> 1 mg** IV/IO **Escalate dose as needed	0.02 mg/kg**
Calcium Chloride	Cardiac Arrest [C-02 & C-03]	1 gram IV/IO	20 mg/kg
Dexamethasone [Decadron]	Allergic Reaction [M-02] Asthma/COPD [A-06]	10 mg IV/IO or IM	Contact Medical Control
Dextrose D ₅₀ /50% D ₂₅ /25% D ₁₀ /10%	Hypoglycemia [1-04]	25 grams IV/IO (1 amp D50, <u>or</u> 250 mL D10)	1 gram/kg (2 mL/kg D25, <u>or</u> 5 mL/kg D10)
Diazepam [Valium]	Sedation [RX-03]	2-5 mg IV/IO or 5 mg IM	0.3 mg/kg IV/IO 0.5 mg/kg IM
	Seizures [M-07]	5 mg IV/IO or 10 mg IM/PR	
Diltiazem [Cardizem]	Narrow-Tach [C-07]	Bolus: 10-20 mg IV/IO Drip: 5-10 mg/hr	Contact Medical Control

[CONTINUED]

RX-R1
 MEDICATION
 DOSAGE/REFERENCE

Please refer to the individual Clinical Guidelines for more information of medication use in specific situations




Diphenhydramine [Benadryl]	Allergic Reaction [M-02]	20-50 mg IV/IO or IM	1 mg/kg
Dopamine	Bradycardia [C-05] Medical Shock [M-06]	Drip: 2-20 mcg/kg/min	[SAME]
Epinephrine [Adrenaline]	Allergic Reaction [M-02]	0.3 mg (1:1000) IM <i>or</i> EpiPen	0.01 mg/kg
	Asthma [A-06]	0.3-0.5 mg 1:10,000 IV/IO <i>or</i> 1:1000 IM	0.01 mg/kg
	Bradycardia [C-05]	Primary: 0.1-0.2 mg IV/IO (100-200 mcg) Low dose: 0.01-0.02 mg IV/IO (10-20 mcg)	0.01 mg/kg
		Drip: 0.1-1 mcg/kg/min	[SAME]
	Croup/Stridor [A-07]	Nebulized: 1 mg (1:1000) diluted in 3 mL saline Parental: 0.3-0.5 mg 1:10,000 IV/IO <i>or</i> 1:1000 IM	Nebulized: [SAME] Parental: 0.01 mg/kg
	Cardiac Arrest [C-02 & C-03]	1 mg (1:10,000) IV/IO	0.01 mg/kg
	Medical Shock [M-06]	Bolus: 10-20 mcg IV/IO Drip: 0.1-1 mcg/kg/min	0.1-1 mcg/kg/min [No bolus]
Etomidate [Amidate]	DAI/RSI [A-04]	20-30 mg IV/IO	0.3 mg/kg
Fentanyl [Sublimaze]	Pain [RX-02]	50-100 mcg IV/IO or IN	1 mcg/kg
Glucagon	Hypoglycemia [1-04]	1-2 mg IV/IO or IM	>20 kg: 1 mg <20 kg: 0.5 mg
Hydromorphone [Dilaudid]	Pain [RX-02]	0.5-1 mg IV/IO or IM	0.01 mg/kg
Ibuprofen [Motrin, etc.]	Pain [RX-02] Fever [M-06]	400-800 mg PO	10 mg/kg
Ipratropium [Atrovent]	Asthma/COPD [A-06]	0.5 mg Mixed with albuterol neb	[SAME]
Ketamine	DAI/RSI [A-04]	200 mg IV/IO	WB: 2 mg/kg
	Sedation [RX-03]	100-200 mg IV/IO 400-500 mg IM/IN	WB Adults: 4-5 mg/kg Pediatrics: per Medical Control
	Pain [RX-02]	25-50 mg IV/IO or IM	per Medical Control

[CONTINUED]

RX-R1
 MEDICATION
 DOSAGE/REFERENCE

Please refer to the individual Clinical Guidelines for more information of medication use in specific situations



Ketorolac [Toradol]	Pain [RX-02] Fever [M-06]	7.5-15 mg IV/IO 30 mg IM	N/A
Labetalol	Hypertension [M-04]	10 mg IV/IO	N/A
Lidocaine [Xylocaine]	VFib/VTach [C-03] Wide-Tachycardia [C-08]	100 mg initial Repeat at ½ of initial dose	1 mg/kg
	{DRIP}	2-4 mg/min	Contact Medical Control
		MIX: 2 grams in 500 mL D5W	
		Concentration: 4 mg/mL (use 60 gtt. set)	
			Adult
	2 mg/min	30 gtt/min	0.3 gtt/kg/min
	4 mg/min	60 gtt/min	0.6 gtt/kg/min
Lorazepam [Ativan]	Sedation [RX-03]	1-2 mg IV/IO <i>or</i> 2 mg IM/IN	0.1 mg/kg
	Seizures [M-07]	2 mg IV/IO <i>or</i> 2-4 mg IM/IN	0.1 mg/kg
Magnesium Sulfate	Eclampsia [OB-08]	2 grams slow IV/IO	N/A
	Wide-Tachycardia [C-08]	2 grams slow IV/IO	50 mg/kg
	{DRIP}	4 g in 250ccD ₅ W (16 mg/ml) run at 30-60 gtt/min	Contact Medical Control
Methylprednisolone [Solu-Medrol]	Allergic Reaction [M-02] Asthma/COPD [A-06]	125 mg IV/IO or IM	Contact Medical Control
Midazolam [Versed]	DAI/RSI [A-04]	10 mg IV/IO	WB: 0.1 mg/kg
	Sedation [RX-03]	2 mg IV/IO or 5 mg IM/IN	Contact Medical Control
	Seizures [M-07]	2-5 mg IV/IO or 5 mg IM/IN	0.1 mg/kg IV/IO 0.2 mg/kg IM/IN
[CONTINUED]			

RX-R1
 MEDICATION
 DOSAGE/REFERENCE

Please refer to the individual Clinical Guidelines for more information of medication use in specific situations



Morphine	Pain [RX-02]	5-10 mg IV/IO or IM	0.1 mg/kg
Nitroglycerine	Chest Pain [C-06] CHF [A-05] Hypertension [M-04]	0.4 mg SL or spray q 5 min <i>(Maximum 3 doses, unless otherwise directed)</i>	N/A
Naloxone [Narcan]	Overdose [E-03]	0.2-2 mg IV/IO, IM 2-4 mg IN	[SAME]
Norepinephrine [Levophed]	Bradycardia [C-05] Medical Shock [M-06]	Drip: 0.1-2 mcg/kg/min	[SAME]
Ondansetron [Zofran]	Abd Pain/Vomiting [M-01]	4 mg IV/IO, IM or PO (ODT)	<1 yr: contact Medical Control 1-4 yr: 2 mg >4 yr: 4 mg
Procainamide	Vfib/VTach [C-03]	50 mg/min to total dose of 17 mg/kg IV/IO	15 mg/kg over 30 min
Promethazine [Phenergan]	Abd Pain/Vomiting [M-01]	12.5 IV/IO 25 mg IM	<4 yr: Contact Medical Control >4 yr: 0.5 mg/kg
Rocuronium [Zemuron]	DAI/RSI [A-04]	100 mg IV/IO	WB: 1 mg/kg
Sodium Bicarbonate	Cardiac Arrest [C-02 & C-03] Drug/Overdose [E-03]	1 mEq/kg IV/IO [1 ampule]	1 mEq/kg
Succinylcholine [Anectine]	DAI/RSI [A-04]	100-150 mg IV/IO	WB: 1-2 mg/kg
Vecuronium [Norcuron]	DAI/RSI [A-04]	10 mg IV/IO	WB: 0.1 mg/kg