


Q-C3 RAPIDLY DETER./ POST-ROSC	From C-04	
--------------------------------------	------------------	---

Checklist for Post-Resuscitation and Rapidly-Deteriorating Patients				
Reference Guidelines	Interventions			
<div data-bbox="131 688 488 764" style="border: 1px solid black; padding: 2px; display: inline-block;"> IV Protocol 1-03 </div>	<ul style="list-style-type: none"> <input type="checkbox"/> Call for additional resources. <input type="checkbox"/> Place appropriate monitoring equipment: <i>Continuous Pulse-Oximetry, End-Tidal CO₂, <u>and</u> Continuous ECG</i> <hr/> <ul style="list-style-type: none"> <input type="checkbox"/> Obtain (at least 2) adequate IV access sites <hr/> <p><i>Unless profound pulmonary edema,</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin fluid resuscitation (1 Liter NS) 			
	<ul style="list-style-type: none"> <input type="checkbox"/> 12-Lead ECG 			
	Crashing Patient	Post Resuscitation		
<div data-bbox="131 1024 488 1100" style="border: 1px solid black; padding: 2px; display: inline-block;"> Airway/O₂ Maintenance A-01 </div>	<p>Titrate respiratory support to ensure adequate oxygenation & ventilation: Goals SpO₂ >94% & EtCO₂ 35-45 mmHg</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%; vertical-align: top;"> <ul style="list-style-type: none"> <input type="checkbox"/> Place NRB @ 100% O₂ <input type="checkbox"/> Escalate respiratory support as needed: CPAP, BVM, DAI/RSI (Intubation) </td> <td style="width: 40%; vertical-align: top; background-color: #f8d7da;"> <p><i>If ROSC with BIAD:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Place ETT if any concern of BIAD function </td> </tr> </table>		<ul style="list-style-type: none"> <input type="checkbox"/> Place NRB @ 100% O₂ <input type="checkbox"/> Escalate respiratory support as needed: CPAP, BVM, DAI/RSI (Intubation) 	<p><i>If ROSC with BIAD:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Place ETT if any concern of BIAD function
<ul style="list-style-type: none"> <input type="checkbox"/> Place NRB @ 100% O₂ <input type="checkbox"/> Escalate respiratory support as needed: CPAP, BVM, DAI/RSI (Intubation) 	<p><i>If ROSC with BIAD:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Place ETT if any concern of BIAD function 			
<div data-bbox="131 1308 488 1383" style="border: 1px solid black; padding: 2px; display: inline-block;"> Medical Shock M-06 </div>	<p>Ensure adequate perfusion: Goals SBP > 90 and/or MAP >65</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 60%; vertical-align: top;"> <p>Treat as indicated per appropriate clinical guideline:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Medical Shock [M-06] <input type="checkbox"/> Hypertensive Crisis [M-05] <input type="checkbox"/> Bradycardia [C-05] <input type="checkbox"/> Narrow-Complex Tach. [C-07] <input type="checkbox"/> Wide-Complex Tach. [C-08] </td> <td style="width: 40%; vertical-align: top; background-color: #f8d7da;"> <p><i>For ALL post-arrest patients:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Prepare vasopressor drip <p><i>If any hypotension/bradycardia:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin vasopressor drip <hr/> <p><i>If Amiodarone or Lidocaine administered:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin antiarrhythmic drip </td> </tr> </table>		<p>Treat as indicated per appropriate clinical guideline:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Medical Shock [M-06] <input type="checkbox"/> Hypertensive Crisis [M-05] <input type="checkbox"/> Bradycardia [C-05] <input type="checkbox"/> Narrow-Complex Tach. [C-07] <input type="checkbox"/> Wide-Complex Tach. [C-08] 	<p><i>For ALL post-arrest patients:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Prepare vasopressor drip <p><i>If any hypotension/bradycardia:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin vasopressor drip <hr/> <p><i>If Amiodarone or Lidocaine administered:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin antiarrhythmic drip
<p>Treat as indicated per appropriate clinical guideline:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Medical Shock [M-06] <input type="checkbox"/> Hypertensive Crisis [M-05] <input type="checkbox"/> Bradycardia [C-05] <input type="checkbox"/> Narrow-Complex Tach. [C-07] <input type="checkbox"/> Wide-Complex Tach. [C-08] 	<p><i>For ALL post-arrest patients:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Prepare vasopressor drip <p><i>If any hypotension/bradycardia:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin vasopressor drip <hr/> <p><i>If Amiodarone or Lidocaine administered:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Begin antiarrhythmic drip 			
	<p><i>If any purposeful movement:</i></p> <ul style="list-style-type: none"> <input type="checkbox"/> Sedate patient 			
<p>Once interventions have been completed, begin to “package” the patient for extrication/transport.</p>				